INDEX.

Page.

Abies concolor 154
Acanella 89
  normani 89
Acanthogorgia 72
  fusca 73
  paradoxa 74
  striata 72
Acanthomuricea ramosa 84
Acis 80
  spinifera 82
  squamata 81
Acordulecera 245
  antennata 246
  basirufa 250
  caryæ 248, 249
  dorsalis 246, 250
  erythrogastra 248
  flavipes 250
  foveata 247
  munda 249
  nigrata 249
  nigritarsis 250
  parva 248
  portiæ 249
  quercus 251
  scutellata 247
Acroperus harpæ 502
Actinometra regalis 391
  solaris 403
Æquorea grœnlandica 257
Aglummyia 354
  percinerea 355
Agrion maculatum 196, 198
Alcyonaria, Japanese, collected by the "Albatross" during 1906 1
Alcyonidæ 19
Alcyonium 20
  gracillimum 21
  kükenthali 20
Allantidea 208
Almugmyia arida 354
  major 355
Alnus incana 141, 142
Alonopsis, new species of, in America 561
Alonopsis aureola 561, 562, 563
  elongata 561, 562, 563
  latissima 561
  media 561
Amauronematus knabi 244
Amblyteles anceps 589
Ameiurus nebulosus 562
Ametastegia (Emphytina) pallidiscapa 208
Amitra liparina 572
Ammobia glabriventris 303
Ampelisca holmesii 369
Amphimetra africana 393
  ater 393
  discoidea 393

Page.

Amphipods, new genera and species of, from the Gulf of Mexico 369
Amphitoë longimana 370
Anacanthine fishes from the Philippine Islands and contiguous waters 105
Anamixis hanseni 370
Anax junius 194
Andinomyia 329
  cruciata 329
Angitia pinteliæ 583
Anisitsia nigerrima 583
Antedon adriatica 404
  klunzingeri 399
  mediterranea 404
  petasus 404
  quadrata 406
Antheinaster epixanthus 646, 647
Anthenoides granulosus 647, 648
  lithosorus 647
  peircei 646
  rugulosus 648
  sarissa 646
Anthomastus 23
  japonicus 24
Anthomuricea 73
  aberrans 75
Anthonomus vestitus 165, 166
Anthoptilidæ 46
Anthoptilum 47
  murrayi 47
Apanteles (Protapanteles) delicatus 581
  harnedi 580
  oxyacanthoidis 581
  parorgyiæ 580
  (Stenopleura) chilocida 582
  depressus 582
  podunkorum 583
Aphroditaster gracilis 626
  microceramus 626
Apseudes abyssicola 159
  galapagensis 159
  spinosus 159
Archytas incasana 331
Ardea americæ septentrionalis 536
  cristata maxima americana 536
  freti hudsonis 536
  fusca canadensis 536
  herodias 531, 532, 533, 534, 541, 551
  adoxa 532, 544, 546, 549
  cognata 532, 533, 549
  fannini 532, 533, 536, 552, 554, 555
  herodias ..... 531?
  532, 533, 534, 536, 539, 540, 544
  545, 546, 550, 551, 554, 556
  hyperonca 532, 533, 550, 551, 553, 556
  lessonii 531, 532, 555, 556
  oligista 532, 533
  sanctilucæ 532, 533, 548, 549, 553

Page.

Ardea herodias treganzai ... 532, 536, 545, 546, 547, 548, 550, 551, 552, 554
wardi ... 532, 533, 536, 539, 540, 546, 549, 550
hudsonius ... 534
lessonii ... 557
occidentalis ... 534, 541
wardi ... 539, 541
würdemanii ... 534, 541
Arge geei ... 206
pectoralis ... 206
salicis ... 206
Argia apicalis ... 197
moesta putrida ... 197
sedula ... 198
tibialis ... 197
translata ... 196
Arthogorgia membranacea ... 57
(Asecodes) Pleurotropis albitarsis ... 173
Astroceramus callimorphus ... 643
lionotus ... 643, 644
sphæriostictus ... 644
Astromesites ... 611
compactus ... 611
Astropecten acanthifer ... 604
phragmorus ... 604
eremicus ... 605, 606, 607
griegi ... 604, 606
ludwigi ... 608
luzonicus ... 606
pedicellaris ... 607
polyacanthus ... 604
pusillulus ... 604, 605
tenellus ... 606, 607
Astrothauma euphylacteum ... 645
Atachyptilum macleari ... 50
Azygobothria ... 322
aurea ... 322
Baccharis floribunda ... 324
Balticina ... 38
californica ... 40
finmarchica ... 38, 39
pacifica ... 39
Barydotira hammari ... 584
Bathygorgia ... 90
profunda ... 90
Bathythrix kuwanæ ... 584
Bebryce ... 87
hicksoni ... 87
Bees, eucerine, of North America, names applied to ... 261
Bellonella ... 22
flava ... 23
rubra ... 21
Belvosia piurana ... 349
Berlin, crinoids of the Museum fuer Naturkunde ... 381
Bicellaria ciliata ... 277
Bigelow, Henry B., Preliminary account of one new genus and three new species of Medusæ from the Philippines ... 253
Biepharipa politana ... 340
Bowerbankia gracilis var. caudata ... 287
Boyeria vinosa ... 192
Brachymastacera ... 340

Page.

Brachymastacera polita ... 341
subpolita ... 341
Bracon bucculatricis ... 577
pomifoliellæ ... 580
Briareidæ ... 99
Bryant, Owen, bryozoa from Labrador, Newfoundland, and Nova Scotia collected by ... 275
Bryozoa from Labrador, Newfoundland, and Nova Scotia ... 275
Bugula cucullata ... 277
cucullifera ... 277
murrayana ... 277
umbella ... 278
Burke, Charles Victor, A new genus and six new species of fishes of the family Cyclogasteridæ ... 567
Butorides virescens ... 531, 534
Caberea ellisii ... 277
Caligorgia ... 60
aspera ... 61
flabellum ... 60
ventilabrum ... 61
Calliaster baccatus ... 644
childreni ... 644
corynetes ... 644
pedicellaris ... 644
Callicryptus magnificus ... 585
Callimome ... 163
Calliphrurus? tæniogaster ... 585
Callistephanus ... 96
pacificus ... 96
Calyptapis ... 261
Calyptrophora ... 57
ijimai ... 57
japonica ... 58
kerberti ... 59
Calyptrophorinæ ... 57
Campopiex epinotiæ ... 586
polychrosidis ... 586
Capillaster multiradiata ... 386
Caprella geometrica ... 378
sp.? ... 379
Carbasea papyrea ... 278
Cardiochiles nigriceps ... 578
seminigra ... 578
viator ... 578
Careproctus colletti ... 570
gilberti ... 570
ostentum ... 570
spectrum ... 570
Casinaria claviventris ... 592
eupitheciæ ... 586
(Neonortonia) genuina ... 592
Catolaccus hunteri ... 172
townsendi ... 172
Catostomus commersonii ... 562
Caulocampus ... 239
scericaulis ... 240
Cecidostiba ... 169
ashmeadi ... 170
burkei ... 170
dendroctoni ... 169, 170, 171
thomsoni ... 169, 171
Celebes, starfishes from, new genera and species of ... 599
Cellarina scabra ... 277

Page.

Cellepora annulata 279
canaliculata 281
cervicornis auctor 281
contigua 281
hyalina 280
incrassata 281
scabra 286
surcularis 281, 286
Celleporaria incrassata 281
surcularis 281
Celleporella hyalina 280
Cellularia densa 277
scabra 277
ternata 277
Cenometra emendatrix 399
Ceramaster clarki 640
granularis 641
smithi 640
Cerambycobius cushmani 167
peruvianus 167
towsendi 166
Cerapus tabularis 377
Ceratoisis 90
paucispinosa 91
philippinensis 91
Ceriodaphnia reticulata 562
Chætophorocera 342
andina 342
fuscosa 343
Chætosiayrops 320
montanus 321
Chalinus 142
Cheiropachus brunneri 165
Chelonus (Chelonus) buscketella 578
Chevalia mexicana 374
Chloronesia 360
andina 361
Chromagrion conditum 198
Chrysocharis ainsliei 174
parksi 173
Chrysogorgia 53
agassizii 55
dichotoma 56
flexilis 54
lata 54
Chrysogorgiidæ 52
Cirolana orientalis 201
Cirphis humidicola 177
Clark, Austin Hobart, The crinoids of the Museum fuer Naturkunde, Berlin 381
Clavularia 11
dispersa 11
eburnea 13
japanica 13
petersoni 12
sulcata 12
Closterocerus cinctipennis 175
tricinctus 175, 176
trifasciatus 175
utahensis 175
winnemanæ 176
Cnephalodes (=Cnephalodopsis) pollinosus 345
Cnephalodopsis 345
pollinosa 345
Coccidoctonus 167
trinidadensis 168

Page.

Cockerell, T. D. A., Names applied to the eucerine bees of North America 261
Coelorhynchus acutirostris 134
argentatus 137
australis 137
commutabilis 128, 137
flabellispinis 128
gladius 136
kishinouyei 137
macrorhynchus 127
notatus 136
platorhynchus 133
quadricristatus 128
Colobometra vepretum 401
Colomastix pusilla 370
Comactinia echinoptera 389, 390
meridionalis 389
Comantheria briareus 390
Comanthina belli 390
schlegelii 391
Comanthus annulata 392
bennetti 391
parvicirra 392
samoana 391
trichoptera 391
wahlbergii 391
Comaster typica 390
Comatella stelligera 386
Comatula pectinata 389
purpurea 389
Comatulella brachiolata 387
Comedo anomocerus 187
hookeri 188
koebelei 187
Comissia hartmeyeri 386
ignota 386
Compsometra incommoda 405
Cornularidæ 11
Cosmiometra conifera 404
Craspedometra ater 398
madagascarensis 398
Craterocercus albidovariatus 238
floridanus 238
Cratotechus 186
Crawford, J. C., Descriptions of new hymenopetra. No. 5 163
Cremastus bellicosus 587
(Cremastides) chinensis 587
Cremnodes tuberculatus 577
Cribilina annulata 279
Crinoids of the Museum fuer Naturkunde, Berlin 381
Crisia cribraria 276
denticulata 276
eburnea 276
var. cribraria 276
denticulata 276
Crypturopsis microgaster 586
Cryptus xanthostigma 585
Ctenodiscus crispatus 601
orientalis 601
Ctenophorister diploctenius 609
hawaiiensis 609
Ctenopleura 606
astropectinides 606
Cumberland Valley, dragon flies of the 189

	Page.
Cyclogaster bristolense	568, 569
gibbus	569
major	568, 569
megacephalus	569
Cyclogasteridæ, a new genus and six new species of fishes of the family	567
Cyllometra albopurpurea	400
Cymodusopsis aristoteliæ	588
Cystisoma spinosum	378
Dasygorgia agassizii	55
Decametra informis	400
möbiusi	400
modica	400
studeri	400
De jeania andina	333
Dendroctonus frontalis	170
Dendronephthya	14
acaulis	15
magnacantha	16
nigripes	17
oviformis	18
splendens	14
Derostenus	179
pictipes	180
punctiventris	180
Dexodes meridionalis	316
Diaphoropeza peruana	308
Diastopora patina	276
verrucaria	277
Diaulinopsis	182
callichroma	182, 183
Diaulinus begini	183, 184
pulchripes	184
websteri	184
Dicera alni	141
Dichrometra flagellata	398
palmata	398
protectus	397
tenera	398
Dineuridea	240
Diprion grandis	208
Dipsacaster diaphorus	622
sladeni	622
Discopora concinna	283
skenei	285
var. crassispina	285
Discoporella verrucaria	276
Dolichostoma	325
alpina	325
Doolittle, Alfred A., Notes on the occurrence of the crustacean Alonopsis in America, with description of a new species	561
Dragon flies of the Cumberland Valley	189
Dromogomphus spinosus	192
Dytaster (Koremaster) evaulus	623
spinosus	624
Echinoptilidæ	48
Echinoptilum	48
macintoshi	48
Elachertus benefactor	182
glacialis	182
johannseni	181
Elasmogorgia	85
filiformis	85
ramosa	86

	Page.
Elasmopus rapax	370
Elepharipeza montagna	351
Enallagma exsulans	198
geminatum	198
Endoxocrinus wyvillethomsoni	408
Entedoninæ	173
Epalpodes	330
equatorialis	330
Epicordulia princeps	194
Erichthonius rubricornis	378
Erigonopsis	326
arequipæ	326
Eriocampa major	211
punctata	211
Erythemis simplicicollis	196
Eschara elegantula	283
lobata	286
papposa	283
perpusilla	284
skenei	285
verrucosa	285
Escharella auriculata	280
jacotini	286
porifera	285
Escharipora annulata	279
Escharoides sarsii	288
Escharopsis lobata	286
Eucadorana	324
bicolor	324
Eucerine bees of North America, names applied to	261
Euclatoria australis	315
sp.	315
Eudejeania	334
nigra	335
subalpina	334, 335
Eugymnocheta	314
equatorialis	314
Eumyobia	312
flava	312
Eumyothyria meridionalis	305
Euparaphyto	359
alpina	359
Euphorocera minor	303
peruviana	303
Euplexaura	88
pinnata	88
Eurytoma piuræ	164
Euselenomyia	364
peruviensis	364
Euthelaira	305
inambarica	306
Euura brachycarpæ	240
nigrella	241
serissimæ	240
Evetria comstockiana	182
Excirolana	201
armata	204
braziliensis	203
chilensis	202
chiltoni	201
japonica	201
linguifrons	201
mayana	201
Fagus sylvatica	142

Page.

Fisher, Walter K., Four new genera and fifty-eight new species of starfishes from the Philippine Islands, Celebes, and the Moluccas.. 399
Fishes, Anacanthine, from the Philippine Islands and contiguous waters..... 105
Fishes of the family Cyclogasteridæ, a new genus and six new species of..... 567
Flies, muscoid, new genera and species of, from South America..... 301
Flustra carbasea..... 278, 279
digitata..... 278
murrayana..... 277
papyrea..... 278
securifrons..... 278
serrulata..... 279
truncata..... 277, 278
Gadomus longifilis..... 106
multifilis..... 106
Galapagos Islands, descriptions of two new isopods from..... 159
Gemellaria dumosa..... 277
loricata..... 277
willisii..... 277
Gomphoides obscura..... 190
Gomphus dilatatus..... 191
notatus..... 191
pallidus..... 192
plagiatus..... 191
spiniceps..... 191
vastus..... 190
Goniopecten asiaticus..... 601, 602
demonstrans..... 601
Gorgonacea..... 52
Gorgonellidæ..... 97
Gorgonidæ..... 94
Grubia compta..... 376
sp.?..... 376
Gulf of Mexico, new genera and species of amphipods from..... 369
Gymnochæta alcedo..... 314
Habrobraconidea bicoloripes..... 579
Halipteris..... 40
christii..... 40, 41
Halisceptrum..... 36
album..... 36
cystiferum..... 36
gustavianum..... 36
Hathrometra dentata..... 408
prolixa..... 406
sarsii..... 408
tenella..... 407
Haustorius arenarius..... 369
Helicoptilum..... 51
rigidum..... 51
Heliometra glacialis..... 405, 407
Hemiteles alpivagus..... 585
coriarius..... 584
stagnalis..... 584
Heron, great blue, revision of the forms of the..... 531
Herpestomus brunneicornis..... 589
hyponomeutæ..... 589
Hetærina americana..... 196
tricolor..... 196, 197
Himerometra crassipinna..... 394
savignii..... 394

Page.

Hippothoa divaricata..... 280
expansa..... 280
hyalina..... 280
Holaxonia..... 52
Homoconema alba..... 258
Horismenus urichi..... 176
Hymenocephalus longibarbis..... 112
longiceps..... 111
longipes..... 109
striatissimus..... 110, 111
torvus..... 110, 111
Hymenoptera, new, descriptions of..... 163
Hyposoter diversicolor..... 590
parorgyiæ..... 590
Hypothereutes caradrinæ..... 590
elyi..... 590
nigrolineatus..... 590
Ichneumon bedeguaris..... 163
Ichneumon-flies, one new family, eight new genera, and thirty-three new species of..... 575
Ichneumon flavofascialis..... 591
klagesi..... 591
(Probolus) flavofascialis..... 591
Iconaster longimanus..... 642
pierrectus..... 642
Idmonea atlantica..... 276
pruinosa..... 276
Incamyia..... 317
cuzcensis..... 317
Insects, dipterous, new genus and species of. 649
Insects of the dipterous family Phoridæ..... 411
Insects, new American dipterous, of the family Pipunculidæ..... 291
Iridometra mauritiana..... 405
Ischnura posita..... 198
verticalis..... 198
Isidæ..... 89
Isocrinus asteria..... 408
decorus..... 408
Isopods, descriptions of two new, from the Galapagos Islands..... 159
Isopods, one genus and two new species from South America..... 301
Jænimyia..... 350
albicincta..... 350
punctata..... 351
Japan, alcyonaria collected by the "Albatross" in the vicinity of..... 1
Kinetoskias arborescens..... 278
Kophobelemnon..... 45
ferrugineum..... 45
hispidum..... 46
Kophobelemnonidæ..... 45
Labrador, bryozoa from, collected by Dr. Owen Bryant..... 275
Lagium..... 212
angulabre..... 215
atroviolaceum..... 216
erythrogastrum..... 214
peratrum..... 215
planifrons..... 216
tardum..... 213
Lasiopalpus subalpinus..... 335
Leieschara coarctaum..... 281
plana..... 280
subgracile..... 281

	Page.
Lembopsis	372
spinicarpus	372
Lembos smithi	373
Lepidogorgia	53
petersi	53
Lepralia annulata	279
belli	283
ciliata	279
crassispina	285
globifera	280
hippopus	282
plana	280
rubens	283
spathulifera	282
trispinosa	286
Leptogonaster cristatus	646
Leptogorgia	95
beringi	95
Leptometra phalangium	405
Lestes rectangularis	197
Leucorhinia intacta	195
Leucothoë spinicarpa	370
Libellula cyanea	195
luctuosa	195
pulchella	196
Lichenopora regularis	276
verrucaria	276
(Limneria) Angitia? plena	583
(Limnerium) Campoplex nigricincta	586
Limosina picturatus	653
Lithophytum	13
roseum	14
Lithoryssus parvus	148
Loricaria americana	277
Lysianopsis alba	369
Macrocentrus amicroploides	579
marginator	579
Macromia illinoensis	193
tæniolata	193
Macrophya alba	218
albomaculata	219
externa	220
externiformis	220
flavipes	211
formosa	219
lineatana	220
melanota	219
nebraskensis	220
nigristigma	219
succincta	222
tenuicornis	221
xanthonota	218
zabriskiei	218
Macrouroides inflaticeps	139
Macrouroididæ	138
Macrourus	112
æquatoris	120
asper	121
asprellus	118
camurus	122
dubius	117, 118
hyostomus	121
lucifer	113
macrolophus	117
macronemus	115
microps	116

	Page.
Macrourus nasutus	118, 119
nigromarginatus	114
orthogrammus	123
paradoxus	115
parvipes	123, 124
petersonii	121
proximus	119
Madrepora verrucaria	276
Malloch, J. R., New American dipterous insects of the family Pipunculidæ	291
One new genus and eight new species of dipterous insects in the United States National Museum collection	649
The insects of the dipterous family Phoridæ in the United States National Museum	411
Mallochia agenioides	591, 592
Mariattia erythrothorax	240
Matæocephalus	125
adustus	126
nigrescens	125
Medusæ, one new genus and three new species of, from the Philippines	253
Megaprosopus andinus	365
Melanobranchus antrodes	107
micronemus	108
Melita dentata	371
fresnelii	371
nitida	371
Melitodes	92
dichotoma	92
Melitodidæ	92
Membranipora craticula	278
cymbæformis	279
lineata	278
var. craticula	278
serrulata	279
solida	279
spinifera	279
trifolium	279
unicornis	279
Membraniporella crassicosta	279
Menella	86
indica	86
Menipea fruticosa	277
ternata	277
Merrill, George P., A newly found meteoric iron from Perryville, Missouri	595
Mesostenus? megapoda	588
Metacrinus moseleyi	408
rotundus	408
Meteorite, new, from Perryville, Missouri	595
Meteorus archipsidis	580
Metopia meridiana	361
Metopiops	338
mirabilis	339
Microchætina arida	354
Microporella ciliata	279
Micropterus dolmieu	561
Mimaster notabilis	624
tizardi	624
Missouri, a newly found meteoric iron from	595
Mocsarya	142

	Page.
Mollia flemingii var. solida	279
hyalina	280
Moluccas, starfishes from the, new genera and species of	599
Monophadnus æger	229
Allantidea bengalensis	210
bengalensis	209
furvus	229
truncatus	232
Monoporella spinulifera	282
Monostegia martini	209
nearctica	209
Mucronella jacotini	286
prælucida	283
scabra	286
spinulifera	282
ventricosa	283
Munnopsis latifrons	162
longiremis	161
Muricoidæ	72
Muricoides	76
cylindrica	76
nigra	77
Muricella	78
abnormalis	79
reticulata	78
Myersia laminata	576
Myersiidæ	575
Myriozoum coarctatum	280, 281, 283
crustaceum	280
planum	280
Nauarchus	258
halius	258
Nematinæ	238
Nematus crassus	245
procidentius	245
Neocharactus montivagus	232
Neocomatella alata	389, 390
Neoliparis greeni	567
Neopoppia	226
metallica	226, 227
Neoptilia malvacearum	207
Neostromboceros	236
Neotrafoia	313
incarum	314
Nephthyidæ	13
Nereidaster bowersi	629
Nesoselandria ceylonensis	234
imitatratrix	234
Nesotaxonus	234
Newfoundland, bryozoa from, collected by Dr. Owen Bryant	275
Nidalia	21
gracilis	22
rubra	21, 23
North America, names applied to the eucerine bees of	261
Noserus pomifoliellæ	580
Notanisomorpha ainsliei	185
collaris	185, 186
Nova Scotia, bryozoa from, collected by Dr. Owen Bryant	275
Nutting, Charles C., Descriptions of the Alcyonaria collected by the U. S. Fisheries steamer "Albatross," mainly in Japanese waters, during 1906	1
Nymphaster arthrocnemis	638, 639
atopus	640
belli	635, 636
diomedeæ	634
dyscritus	635, 636
euryplax	634, 635, 636, 637
habrotatus	639
leptodomus	637
meseres	639
moluccanus	636, 637
mucronatus	636, 637
symbolicus	623, 624
ternalis	634, 636, 638
Oberholser, Harry C., A revision of the forms of the great blue heron (Ardea herodias Linnæus)	531
Œstrogaster	309
fumosus	310
Œstrohystricia	332
subalpina	333
Œstropsis	355
viridis	356
Oligometra adeonæ	409
japonica	400
serripinna occidentalis	401
Ommasicera	337
chætosa	338
Ophirion	310
mirabile	311
Ophirodexia	307
pulchra	308
Ophirosturmia	335
cincta	336
Ophrynopus	142
andrii	148
(?) dentifrons	148
Orchestia grillus	371
platensis	372
Oryssoidea, studies in the woodwasp superfamily	141
Oryssus abienthus	141
abietes	153
affinis	152
coronatus	148
hæmorrhoidalis	151
hopkinsi	155
imperialis	147
maurus	153
metallicus	147
modestus	150
occidentalis	153
pini	154
plumicornis	147
relativus	155
sayii	149
terminalis	150
thoracicus	148
vespertilio	148
Osburn, Raymond C., Bryozoa from Labrador, Newfoundland, and Nova Scotia, collected by Dr. Owen Bryant	275
Pachydiplax longipennis	195
Palmicellaria skenei	285
Pamphilius (Pamphilius) nigritibalis	205
Pantala hymenæa	194
Paracharactus californicus	231

Page.

Paracharactus leucostomus 230
nevadensis 230
niger 231
nigrisomus 231
Paragonaster ctenipes 627
hypacanthus 627
stenostichus 627
Paragorgia 99
nodosa 99, 101
regalis 100
Paraliparis cephalus 573
deani 571
garmani 572, 573
holomelas 571
liparina 573
Paraspongodes 19
striata 19
Parateleopus microstomus 139, 140
Parisis 93
fruticosa 93
Patagiaster sphærioplax 623
Pearse, Arthur S., Notes on certain amphipods from the Gulf of Mexico, with descriptions of new genera and new species 309
Pecten tenuicostata 281, 282
Peltaster cycloplax 641
hebes 641
nidarosiensis 641
planus 641
Pennatula 27
aculeata 27
brevipenna 33
fribriata 28
inermis 34
longistyla 32
murrayi 29
naresi 30
pendula 29
rubescens 32
sanguinea 30
splendens 35
sulcata 28
Pennatulacea 26
Pennatulidæ 26
Pentametrocrinus japonicus 408
tuberculatus 408
Perca flavescens 562
Perclista albicollis 233
quercus 232
Perissogonaster 628
insignis 628
Perithemis domitia 195
Perryville, Missouri, new meteorite from 595
Persephonaster anchistus 614
cœlochiles 614
croceus 620
euryactis 613, 614, 615
gracilis 619
habrogenys 618, 619
luzonicus 614
monostœchus 620
multicinctus 616
œdiplax 617, 618
roulei 616
suluensis 616
tenuis 615, 617

Page.

Perua 364
cuzcana 365
Phænopsis 362
arabella 362, 363
Phasiatacta 343
elongata 344
Phasiopteryx australis 352
bilimeki 353
Philippine Islands, Anascanthine fishes from the 105
Philippine Islands, starfishes from, new genera and species of 599
Philippines, one new genus and three new species of Medusæ from the 253
Phoridæ, insects of the dipterous family 411
Phronima sedentaria 378
Phrosina semilunata 378
Physiculus edelmanni 106
japonicus 106
nigrescens 105
Pimpla (Epiurus) brevicornis 589
kuwanæ 589
(Iseropus) viduiformis 591
(Pimpla) parnaræ 593
pluto 593
vidua 591
Pinus scropulorum 208
Pipunculidæ, new American dipterous insects of the family 291
Pipunculus caudelli 298
exilis 295
inconspicuous 295
metallescens 298
occidentalis 291
stigmatica 294
townsendi 292
trichætus 296
trochanteratus 297
vierecki 654
winnemannæ 655
Placogorgia 83
japonica 83
Plagiops 303
meridionalis 304
Plathemis lydia 196
Platycaulus 94
danielsseni 94
Pleurotropis 177
albitarsis 179
ashmeadi 178
leucopis 177
lithocolletidis 179
niger 178
phyllotretæ 178
quercicola 178
rugosithorax 179
splendens 178
tarsalis 178
wilderi 179
Plexauridæ 88
Plumarella 62
adhærans 65
carinata 64
cristata 64
flabellata 63
spicata 64

Page.

Plumarella spinosa 63
Podagrion echthrus 163
Polycyrtus cockerellæ 593
fulvipes 593
Polygraphus rufipennis 171
Polypera 567
greeni 568
Polyphemus pediculus 562
Pontania agama 242
consors 242
crassicornis 241
foveata 243
lucidæ 242
nevadensis var. nigripecta 243
parva 242
robusta 241
Pontiometra andersoni 397
Porella compressa 282
concinna 283, 284
elegantula 283, 284
lævis var. concinna 283
perpusilla 284
proboscidea 285
propinqua 285
saccata 283, 284
skenei 285
struma 285
surcularis 281
verrucosa 285
var. propinqua 285
Porellina ciliata 279
stellata 279
Porina ciliata 279
Primnoa flabellum 60
Primnodendron 70
superbum 70, 71
Primnoidæ 57
Prionaster analogus 602, 603
elegans 602
gracilis 603
megalopiax 603
Priophorus acericaulis 240
Pristomerus appalachianus 592
coloradensis 593
(Pristomerus) Neopristomerus appalachianus var. dorsocastaneus 593
pacificus 593
Prosopis dulcis 302
Prostromboceros 235
Protapanteles rileyanus 582
Protellopsis stebbingii 379
Protiara beroe 254
hæckeli 254
tropica 253
Protogonia 347
ocellaris 348
Protoptilidæ 49
Protoptilum 49
orientale 49
Pseudarchaster dissonus 625
oligoporus 625, 626
pectinifer 625
roseus 625
Pseudatractocera 336
Pseudomyothyria perplexa 319
Pseudosiobla 209
floridana 209

Page.

Psilaster gotoi 609
robustus 610
Pteroidea 35
sagamiense 35
Pteronidea robiniæ 244
similaris 244
trilineata 244
Ptilometra macronema 404
Ptilosarcus 26
brevicaulis 26
quadrangularis 26
Pulvinaria pyriformis 168
Pyrophila pyramidoides 188
Quercus macrocarpa 233
Radcliffe, Lewis, Descriptions of a new family, two new genera, and twenty-nine new species of Anacanthine fishes from the Philippine Islands and contiguous waters 105
Regania filamentosa 107
nipponica 109
sulcata 108
Rhadinocerace lucida 220
similata 220
Rhamphostomella costata 286
ovata 286
radiatula 286
sarsii 286
Rhinoliparis attenuatus 573
barbulifer 574
Rhizocrinus robustus 408
Rhogogaster addendus 211
laterarius 211
pitohatus 211
truncatus 211
Richardson, Harriet, Descriptions of a new genus of isopod crustaceans, and of two new species from South America 201
Descriptions of two new isopods, an Apseudes, and a Munnopsis, both from the Galapagos Islands 189
Robinia pseudacacia 244
Rogas laphygmæ 581
nolophanæ 581
Rohwer, S. A., Notes on sawflies, with descriptions of new species 205
Studies in the woodwasp superfamily Oryssoidea, with descriptions of new species 141
Rosaster alexandri 629, 632
bipunctus 632
mamillatus 632
mimicus 632
nannus 631
symbolicus 630, 633
Salatigia 227
Salix niger 206
serissima 240
tristis 244
Salmacis alpina 347
chætosa 347
pacifica 346

	Page.
Salmanica peruviana	346
Salvelinus areolus	561
Sarcomacronychia trivittata	363
Sarconesia	360
Sarcophaga argentea	358
auribarbata	357
aurigena	357
peruana	358
Sarcophagula peruana	358
Sawflies, notes on, with descriptions of new species	205
Schizoporella auriculata	280
cecelii	280
crustacea	280
hyalina	280
plana	280
spongites	280
Sciapteryx coquilletti	212
Scirpearella	97
gracilis	98
rubra	98
Scleraxonia	92, 98
Scrupocellaria scabra	277
Scymnophagus secundus	172
townsendi	172
Selandriinæ	233
Selenemetra finschii	397
Semotilus bullearis	562
Senoclia	227
cærulea	228
Senoclidea	228
amala	228
decora	229
terminata	229
Simulium bicoloratum	649
bipunctatum	650
nitidum	652
townsendi	651
Sinodaster batheri	600
psilonotus	600
vaneyi	600
Siobla mooreana	210
Siphonogorgia	25
splendens	25
Siphonogorgidæ	25
Siphosturmia pollinosa	321
Smittia globifera	280
landsborovii var. porifera	285
porifera	285
propinqua	285
reticulatopunctata	286
trispinosa	286
Solaster papposus	624
Solenotus pulchripes	184
Somatochlora tenebrosa	194
South America, isopod crustaceans, one new genus and two new species of, from	201
South America, new genera and species of muscoid flies from	301
Spathimyia	318
ferox	319
Sphæriodiscus ammophilus	641
bourgeti	641
scotocryptus	641
Spintherus pulchripennis	168
Spongodes pulchra	18
splendens	14
Stachyodes	59
megalepis	59
Stachyptilum macleari	50
Starfishes, four new genera and fifty-eight new species of, from the Philippine Islands, Celebes, and the Moluccas	599
Steinomyia	656
steini	657
Stephanometra tenuipinna	397
tuberculata	396
Stirocorsia kohli	147
Stomatomyia filipalpis	304
Strombocerus (Eustrombocerus) melanopterus	235
(Neostrombocerus) metallica	236
(Prostrombocerus) planifrons	235
(Strombocerides) albimaculatus	235
Strongylogaster alboannulatus	237
remotus	237
Strophogorgia petersi	53
Sympodium indicum	12
Tachopteryx thoreyi	190
Talorchestia longicornis	372
Tanyphatnidea	207
microcephala	207
Telesto arborea	13
Tenthredella elegantula obliquata	226
Tenthredo atroviolaceus	212
incerta	210, 211
(Labidia) alienatus	224
anomocerus	223
anomus	225
opimus coloradensis	224
opimus	224
originalis	224
subnigriceps	224
sturmi	210
Tetralonia	261
acerba	261
Tetrastichus gowdeyi	181
Thaumatotypidea	577
Thaumatotypus femoralis	577
Thesea	80
placoderma	80
Thouarella	66
alternata	69
hilgendorfi	66
laxa	68
recta	67
striata	69
typica	68
Thouarellinæ	62
Townsend, Charles H. T., Descriptions of new genera and species of muscoid flies from the Andean and Pacific coast regions of South America	301
Tramea onusta	196
Trichora equinoctialis	348
Trichiotaxonus	227
Trichoptilum	50
spinosum	51
Tritonaster evorus	621

	Page.
Tropidopsis connectans	312
pyrrhaspis	313
Tropiometra audouini	401
carinata	403
encrinus	402
indica	401
picta	402
Tubulipora atlantica	276
flabellaris	277
Umbellula	41
carpenteri	43
durissima	44
eloisa	43
magniflora	42
Umbellulidæ	41
Unciola laminosa	377
Verrillia blakei	39
Vibrissomyia	327
bicolor	327, 328
lineata	328
Vierock, H. L., Descriptions of one new family, eight new genera, and thirty-three new species of Ichneumon-flies	175
Villogorgia	84
brunnea	84
Virgularia	38
christii	40
Virgularidæ	38
Wilson, Charles Branch, Dragon flies of the Cumberland Valley in Kentucky and Tennessee	189
Xanthomelanodes peruanus	302
Xenapates (Dineura? africana)	210
incerta	210
Zalagium	216
cinctulum	217
clypeatum	217
Zamacrophya	221
nigrilabris	222
Zygocanna	255
vagans	255
Zygometra elegans	393
microdiscus	393
Zygosturmia inca	328